## **NOISE RATING**

MANUFACTURER: Bereco Ltd.

PRODUCT NAME: Contemporary Lipped Casement Timber Window

- 8.8/20/6mm

SCOPE REFERENCE: NRW-0234



Sound Reduction Value $(R_w)$ : (BS EN 10140 – 2)	41 dB
Correction for traffic and low frequency ( $C_{tr}$ ):	-6 dB

Frequency (Hz):	125	250	500	1000	2000	4000
Measured performance:	29.5	32.2	39.4	42.4	42.6	46.9

This Bluesky Noise Rating rating must be read in conjunction with the scope of certification that is referenced above and does not guarantee the performance of individual products.

Visit www.blueskycert.com for further details.



## **NOISE RATING**

MANUFACTURER: Bereco Ltd.

PRODUCT NAME: Contemporary Lipped Casement Timber Window

- 8.8/12/4mm

SCOPE REFERENCE: NRW-0231



Sound Reduction Value (R <sub>w</sub> ): (BS EN 10140 – 2)	38 dB
Correction for traffic and low frequency ( $C_{tr}$ ):	-4 dB

Frequency (Hz):	125	250	500	1000	2000	4000
Measured performance:	29.5	25.5	34.9	40.7	45.7	44.5

This Bluesky Noise Rating rating must be read in conjunction with the scope of certification that is referenced above and does not guarantee the performance of individual products.

Visit www.blueskycert.com for further details.



## **NOISE RATING**

MANUFACTURER: Bereco Ltd.

PRODUCT NAME: Contemporary Lipped Casement Timber Window

-4/16/4mm

SCOPE REFERENCE: NRW-0241



Sound Reduction Value (R <sub>w</sub> ): (BS EN 10140 – 2)	33 dB
Correction for traffic and low frequency ( $C_{tr}$ ):	-5 dB

Frequency (Hz):	125	250	500	1000	2000	4000
Measured performance:	25.1	19	28.1	36.4	42	40.7

This Bluesky Noise Rating rating must be read in conjunction with the scope of certification that is referenced above and does not guarantee the performance of individual products.

Visit www.blueskycert.com for further details.

